

# OPEN HOLE INSPECTION REPORT



Laramie County Planning and Development Office  
310 W 19th St, Room 400  
Cheyenne, WY 82001

Phone: 307-633-4303  
Fax: 307-633-4519  
planning@laramiecounty.com

<b>Location:</b> Subdivision: _____ Lot: ____ Block: ____ Tract: _____ Division: _____ Section: _____ Township: _____ Range: _____ Address: _____
---

IN ACCORDANCE WITH IRC R401.4.1, OR IBC CHAPTER 18, THE SOIL CONDITIONS OF THE ABOVE REFERENCED SITE WERE DETERMINED BY ME ON \_\_\_\_\_ (DATE) AND THE FOLLOWING CONDITIONS WERE NOTED:

1. SOIL BEARING PRESSURE OF \_\_\_\_\_ PSF MAXIMUM
  - a. BASED ON SOILS REPORT NO.: \_\_\_\_\_
  - OR
  - b. BASED ON RATIONAL EVALUATION:
2. THE FOOTING/FOUNDATION IS TO BE PLACED ON UNDISTURBED NATURAL SOIL \_\_\_ YES \_\_\_ NO  
**IF NOT, ATTACH COMPACTION REPORT AND SOILS REPORT**
3. UNUSUAL MOISTURE PRESENT? \_\_\_ YES \_\_\_ NO
4. EXPANSIVE SOILS WERE PRESENT? \_\_\_ YES \_\_\_ NO
5. THE SOIL CLASSIFICATION (TYPE) IS (check one):
  - a. Clay, sandy clay, silty clay, clayey silt, silt and sandy silt (CL, ML, MH and CH).  
Load-bearing pressure (PSF) 1,500 \_\_\_\_\_ .
  - b. Sand, silty sand, clayey sand, silty gravel and clayey gravel (SW, SP, SM, SC, GM, AND GC).  
Load-bearing pressure (PSF) 2,000 \_\_\_\_\_ .
  - c. Sandy gravel and/or gravel (GW and GP). Load-bearing pressure (PSF) 3,000 \_\_\_\_\_ .
  - d. Sedimentary and foliated rock. Load-bearing pressure (PSF) 4,000 \_\_\_\_\_ .
  - e. Crystalline bedrock. Load-bearing pressure (PSF) 12,000 \_\_\_\_\_ .

THE TYPE OF FOOTING/FOUNDATION REQUIRED FOR THIS SITE SHALL BE: \_\_\_\_\_  
\_\_\_\_\_

SIGNED: \_\_\_\_\_ WYO. REG. NO.: \_\_\_\_\_

PRINT NAME: (Required) \_\_\_\_\_ DATE: \_\_\_\_\_

This report cannot be accepted if the name is not legibly printed.

THIS DOCUMENT MUST BE COMPLETED AND RETURNED TO THE LARAMIE COUNTY PLANNING AND DEVELOPMENT OFFICE **PRIOR TO PLACING ANY CONCRETE**